

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

IMPORTANT

After placing your order, please shoot a quick message from our website “contact page” and give us your machine brand and model number. We use this information to keep our chart up to date.

Alpha 4005 **Low**

Atlas 526 **Low**

American Beauty KZM **Low**

Babylock BL1000, BL1050, BL1108, BL1400, BL1500, BL1506, BL1550, BL1556, BL1750, BL200, BL2100, BL2150, BL2160, BL2200, BL2300, BL2400, BL2500, BL2600, BL2800, BL3500, BL500, BL5500, BL6000, BL6150, BL6200, BL6300, BL6600, BL6700, BL6800, BL702, BL713, BL722, BL7500, BL8000, BL8500, BL9500, EM1, EM2, ES1, ES2, ESE, ESP, & Quilter Choice, Babylock Symphony, Babylock Serenade, Babylock Espire, Babylock Soprano, Babylock Ellisimo, Babylock Aria, Babylock Destiny, Babylock Journey, Babylock Melody **Low**

Babylock Cresendo – Low – Use the shank adapter that came with your machine. Needle position needs to be adjusted from 3.5 to 5.0 to center the needle in the ankle of the Clarity foot.

Some Babylock machines measure as high shank. However, they came with a shank adapter in with your other machine accessories. Use the shank adapter and the Low shank Clarity foot

Babylock BLQC “AKA JANE”, BLQCP – Use **High Shank - CRF**

Bernina 500, 600, Most others **Low with Bernina shank adaptor #77**

700, 800, 820, 830, 880 – **Low with Bernina shank adaptor #77**

Old Style Presser Foot Type use Bernina shank adaptor #75 – Use Low foot with adapter #75.

Brother 100, 1211A, 1231, 1241, 150, 160, 1681 Riveria, 170, 180, 181 Project, 191, 2015, 220, 230, 25 SP, 300, 320, 350, 360, 431, 441, 451, 461, 471, 491, 5001, 552N, 630, 661, 666, 681, 681B, 702, 7029, 703, 721, 741, 751, 761, 771, 781, 8010, 8015, 8020, 8050, 8060, 824, 845, 870, 895, 90, 976, B347, B348, B373, B375, B376, B377 & B500, CS5100, CS6000, CS80, CS8002, CS8060, CS8072, CS8100, CS8150, CS8200, CS4000, CSE002, E100, ES2000, ESi2, GS2700, LB6800, LS1217, LS1520, LS1717, LS2125, LS2720, LS2820, LS2825, LS2920, LS2775, LS400, LS5700, M7029, M880, NX400Q, NX200, NX400, NX600, NXL 400, PC1000, PC1250, PC1750, PC1950, PC2300, PC24, PC2500, PC2800, PC3000, PC4000, PC5000, PC6000, PC6500, PC7000, PC7500, PC8000, PC8200, PC8500, PC8895, PE100, PE150, PE150V, PE180D, PE200, PE300S, PE400D, PE82, PE8200, PE8500, PL1000, PL2100), PL900, PR600, PS1000, PS1200, PS1250, PS1700, PS1750, PS1800, PS1900, PS1950, PS2100, PS2150,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Brother Continued:

PS2200, PS2250, PS2300, PS2360, PS2400, PS2470, PS2500, PS31, PS3100, PX100, PX200, PX300, SE2000, SE270D, VX100, VX1000, VX1005, VX1010, VX1011, VX1020, VX1040, VX1060, VX1080, VX1090, VX1100, VX1111, VX1120, VX1125, VX1140, VX1200, VX1250, VX1400, VX1500, VX2010, VX2020, VX2051, VX2080, VX520, VX540, VX560, VX566, VX640, VX660, VX700, VX707, VX710, VX720, VX757, VX760, VX780, VX790, VX800, VX807, VX808, VX809, VX809, VX810, VX847, VX857, VX860, VX870, VX880, VX883, VX890, VX920, VX940, VX950, VX960, VX970, VX980, ULT2003D, XL1001, XL114, XL1351, XL1561, XL1781, XL1950, XL200, XL2000, XL2001, XL2005, XL2010, XL2015, XL2021, XL2022, XL2025, XL2027, XL2030, XL2120, XL2121, XL2122, XL2130, XL2230, XL2500, XL2600, XL2600i, XL2610, XL2620, XL300, XL3000, XL3010, XL3022, XL3025, XL3027, XL3030, XL3100, XL3200, XL3500, XL3500T, XL3510, XL4001, XL4010, XL4012, XL4013, XL4014, XL4015, XL4020, XL4030, XL4040, XL4050, XL4060, XL461, XL471, XL50, XL5000, XL5001, XL5010, XL5011, XL5020, XL5021, XL5030, XL5031, XL5100, XL5130, XL5132, XL5200, XL5232, XL5300, XL5340, XL5500, XL5600, XL5700, XL6040, XL6050, XL6060, XL622, XL6242, XL6452, XL6462, XL6552, XL6562, XL700, XL711, XL771, XL781, XL791, XL795, XL851, XR16, XR21, XR23, XR27, XR29, XR30, XR31, XR32, XR33, XR34, XR35, XR37, XR40, XR46, XR46C, XR52, XR52C, XR65, XR65T, XRX55, XR9500PRW, Galaxie 221, Super Galaxie 2000, Super Galaxie 2100, Super Galaxie 3000, Quattro 3, JX2517, NV1e, VQ2, Super Ace II, Super Ace III, Super Ace Special Edition, Brother Quattro 6000D, Quattro 6700D, Most others **Low**

Brother Innovis 2800D, 1300 and all within the Innovis series – **Low Shank** NOTE: Your Auto Fabric Sensor needs to be turned “ON”.

VQ2400 and VQ3000, Use the shank adapter that came with your machine – **Low Shank**.

Brother PC6500, PC8200, PC8500, ULT2001, ULT2002, ULT2003D – **Low with adapter that came with your machine.**

Brother PQ1300, PQ1500 – **High Shank CRF foot**

Brother Nouvelle 1500 – **High Shank CRF foot**

Brother Dream Weaver XE-VM6200D – **High Shank** no adapter needed.

Brother Designio DZ1500F – **High Shank CRF foot**

Brother Dream Machine XV8500 – **Use High Shank foot with the shank adapter if one came with your machine.**

Capital 777 **Low**

Consew 18, 118, & 130 **Low**

Domestic 1630, 264R, 268, 955, 4400, 5438, Most others **Low**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Dressmaker

205, 300Z, 380, 423, 5100, 5102FA, 6102FA, 6800, 6950, 6960, 7000, 8000, 9500, E199, FA590590, K100, S9000, S2400, S3000, SS2402, SWA2000, SWA380, SWA2000, SWA8000 **Low**

Elna--2002, 2004, 2006, 2110, 2130, 3003, 3005, 3007, 3008, 410, 450, 5000, 6000, 6003, 6004, 6005, 7000, 8000, 8006, 8007, Lotus & Super, Most others **Low**

Elna 700 Series – **High Shank – Needle adjustment necessary to center to 3.8mm**

Elna 900 Expressive – **High Shank – Needle adjustment may be necessary**

EnVision 9006 **High**

Elnita 25, 200, 220, 225, 244, 245, 250 & 255, Most others **Low**

EuroPro Shark 1260, 1260DX, 375, 385, 415, 420, 425, 6130, 7100, 7130, 7133, 7500, 7535, 7545, 8260, 9000, 9020, 9025, 9101, 9110, 9120, 9130 **Low**

Good Housekeeper Most **Low**

Hobbymatic Most **Low**

Homemaker Most **Low**

Husqvarna Mega Quilter **High Shank – MGQ foot**

Husqvarna Designer SE Series machines - **Low – Set for Free motion and make sure your Sensor Foot Auto is turned to “Manual” setting not “Auto” setting. These machines are equipped with an Exclusive Sensor System which will lift the foot for free motion quilting.**

Husqvarna/Viking Sapphire 960 – **Low Note: See Viking listing for additional information on set-up for Sapphires, Rubies, Topazes, Diamonds, Epic and Opal 690**

Husqvarna Diamond Royale – **Low (needle position adjustment from 0.0 to 0.5mm – Auto Fabric Thickness Sensor will be enabled when setting this machine to “free-motion” setting.**

Jaguar 181, J380, J383, J386, J413, J415 **Low**

JCPenney 1405, 1510, 1515, 1710, 4896, 6006, 6105, 6107, 6560, 6600, 6903, 6948A, 7015A & 7029 **Low**

Juki DDL-227, DDL-555, DDL-8700, TL-98E, TL-98P, TL-98QE, – **Use High Shank CRF foot**

Juki – TL-2000 Qi – TL-2010Qi, TL-2200QVP Mini - **High Shank CRF Foot**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Kenmore 8, 10, 12, 15, 16, 50, 52, 65, 70, 90, 150, 372, 385, 700, 892, 1040, 1229, 1239, 1240, 1249, 1251, 1310, 1316, 1318, 1325, 1336, 1341, 1345, 1350, 1351, 1352, 1357, 1400, 1410, 1430, 1503, 1516, 1525, 1551, 1560, 1570, 1650, 1660, 1680, 1720, 1730, 1750, 1752, 1755, 1757, 1760, 1774, 1781, 1774, 1802, 1803, 1937, 1940, 1946, 5154, 5186, 12014, 1216, 12331, 12511, 12621, 12814, 13350, 13360, 13401, 13501, 13502, 13550, 13360, 14502, 15611, 15612, 16951, 17124, 17126, 17822, 17826, 17868, 17881, 19030, 19150, 19601, 1212180, 1233280, 1249280, 1249380, 126120, 1340281, 1345380, 1718180, 1764180, 1789180, 1960180, 12714090, 135021310, 116.8391, 148.12190, 148.13110, 148.14220, 148.15210, 148.15600, 148.15700, 148.19370, 148.19372 & 148.231, 158.1010180, 158.1010181, 158.10200, 158.10300, 158.10301, 158.10302, 158.10304, 158.10400, 158.10401, 158.10402, 158.10450, 158.10500, 158.10501, 158.10600, 158.1110, 158.1110180, 158.1110181, 158.121, 158.12110, 158.12112, 158.1212180, 158.12250, 158.12260, 158.12270, 158.12271, 158.12272, 158.12290, 158.12291, 158.12292, 158.12310, 158.12312, 158.12313, 158.12370, 158.12390, 158.12391, 158.12392, 158.12410, 158.12411, 158.12412, 158.12470, 158.12471, 158.12472, 158.12510, 158.12511, 158.12512, 158.12520, 158.1255180, 158.1255181, 158.1262180, 158.1262181, 158.1262182, 158.130, 158.13010, 158.13011, 158.13030, 158.13031, 158.13032, 158.13033, 158.13040, 158.13041, 158.13050, 158.13150, 158.13160, 158.13170, 158.13180, 158.13190, 158.13200, 158.13201, 158.13250, 158.13360, 158.13400, 158.13401, 158.1340180, 158.13402, 158.13410, 158.13411, 158.13412, 158.13413, 158.13414, 158.13450, 158.1345180, 158.1345280, 158.1345380, 158.13470, 158.13471, 158.13500, 158.1350180, 158.1350280, 158.13510, 158.13512, 158.13513, 158.13520, 158.13521, 158.1355080, 158.13571, 158.1357100, 158.13572, 158.13573, 158.13580, 158.1358180, 158.14000, 158.14001, 158.14002, 158.14003, 158.14100, 158.14101, 158.14220, 158.14300, 158.14301, 158.14310, 158.14311, 158.1440180, 158.14501, 158.1450180, 158.1450181, 158.14510, 158.14571, 158.1457180, 158.150, 158.1510, 158.1511, 158.15150, 158.15160, 158.15250, 158.1561180, 158.1561280, 158.1561281, 158.15810, 158.1595180, 158.1595281, 158.16000, 158.16010, 158.16012, 158.16030, 158.161, 158.162, 158.16210, 158.16250, 158.163, 158.16410, 158.16411, 158.16412, 158.16490, 158.16500, 158.16510, 158.16520, 158.16530, 158.16540, 158.16600, 158.16800, 158.16801, 158.16820, 158.16900, 158.17000, 158.17001, 158.17010, 158.17011, 158.17012, 158.17030, 158.17031, 158.17032, 158.17200, 158.17300, 158.17310, 158.17490, 158.17500, 158.17501, 158.17510, 158.17511, 158.17520, 158.17530, 158.17540, 158.17550, 158.17560, 158.17570, 158.17571, 158.17572, 158.1765180, 158.17740, 158.17741, 158.17800, 158.17810, 158.17811, 158.17812, 158.17820, 158.17821, 158.1783080, 158.1784080, 158.1784181, 158.1784182, 158.1784183, 158.1784184, 158.17850, 158.17851, 158.1786080, 158.1786081, 158.1787180, 158.1789180, 158.1789181, 158.1789280, 158.17910, 158.17911, 158.1792080, 158.1792181, 158.1792182, 158.1792183, 158.1792184, 158.1792280, 158.1801, 158.18010, 158.18020, 158.18021, 158.18022, 158.18023, 158.18024, 158.18030, 158.18031, 158.18032, 158.18033, 158.18130, 158.18131, 158.18140, 158.18141, 158.18150, 158.1884180, 158.19130, 158.19131, 158.19140, 158.19141, 158.19142, 158.19310, 158.19311, 158.19312, 158.19410, 158.19411, 158.19412, 158.19460, 158.19461, 158.19470, 158.19471, 158.19800, 158.19801, 158.19802, 158.220, 158.221, 158.320, 158.321, 158.330, 158.331, 158.350, 158.351, 158.352, 158.353, 158.370, 158.371, 158.372, 158.373, 158.4180, 158.430, 158.431, 158.432, 158.433, 158.440, 158.441, 158.442, 158.443, 158.445, 158.460, 158.461, 158.462, 158.463, 158.470, 158.471, 158.472, 158.473, 158.480, 158.481, 158.500, 158.501, 158.502, 158.503, 158.504, 158.505, 158.520, 158.523, 158.540, 158.541, 158.542, 158.620, 158.650, 158.680, 158.6850, 158.750,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Kenmore Continued:

158.842, 158.850(85), 158.900, 158.901, 158.902, 158.903, 158.904, 158.905, 158.920, 158.921, 158.922, 158.923, 158.924, 158.950, 158.960, 159.5281, 185.188140, 384.13012000, 384.18024000, 385.12490, 385.1249280, 385.10111, 385.11541, 385.11551, 385.11581, 385.11607, 385.11608, 385.11682, 385.1168291, 385.12014, 385.121166190, 385.12216790, 385.12320, 385.12321, 385.12331, 385.12332, 385.12490, 385.12491, 385.12492, 385.1249280, 385.12493, 385.12541, 385.1254180, 385.12581, 385.12612, 385.12612090, 385.12614490, 385.12618890, 385.12641, 385.1264180, 385.12712, 385.1271209, 385.12714, 385.12741, 385.12781, 385.1278180, 385.12814, 385.12841, 385.15108200, 385.15516, 385.1584180, 385.16524, 385.16528, 385.16530000, 385.1684180, 385.16951, 385.1695180, 385.17026, 385.17026590, 385.17124790, 385.17526, 385.17622, 385.17622090, 385.17624, 385.17628, 385.1764180, 385.17724, 385.17781, 385.17822490, 385.17824090, 385.17826, 385.178284, 385.17881, 385.17881, 385.17928, 385.1792890, 385.1823079, 385.18330990, 385.18830, 385.18836, 385.1884180, 385.19030790, 385.19150, 385.19150090, 385.19153, 385.19153690, 385.19365, 385.1950180, 385.1960180 & 385.81527 **Low, but please double check these with our shank chart on the ruler foot page. Some models may need a Medium foot.**

1914 **High**

179, 1400, 1625, 1690, 1703, 1780, 1803, 1813, 1814, 1917, 1940, 1941, 1974, 16410, 17600, 17921, 17840, 17841, 17860, 17871, 17891, 17911, 17922, 17921, 156.1281, 158.1350, 158.16520, 158.17032, 158.16900, 158.17810, 158.19140, 158.19141, 158.19411, 158.19412, 158.16030, 158.17033, 158.17841, 158.18800, 158.19471 **Super High Needs Kenmore Presser Foot Adapter #P60666 – use Low foot with the adaptor.**

Montgomery Ward UHTJ1859, UHTJ1944 & UHTJ240A, Most others **Low**

Morse 4300, 4500 & 9500, Most others **Low**

Necchi Lydia MK A2, Lydia 3, Mira BU, 108, 503FA, 522, 523, 525, 531EA, 534FB, 535A, 535FA, 535EA, 535RA, 536B, 536FA, 536FB, 537FA, 537L, 539, 540, 543, 547, 549, 574FB, 575FA, 887FA, 1950, 3101F, 3101FA, 3354, 3355, 3577, 4575, XL6000, 6150, EX100, EX30, EX60, NE30, QS60 -**Low**

Lydia MKA, Super Nova, 515, 542, 544, 1950, 1958 **High**

Nelco 10425, 234F, 4002, 4102F, 5102A, 6030, 7057, JA38, L605, N250, SZA232, SZA800L & Xonic 2000 **Low**

R series-- **High**

New Home/ Janome 106, 108,128, 704, 900, 911, 920, 921, 6000, 7000, 7500, SL2022, SS2015, SX2122, SW2018F, L-372, L-373, L-352; Memory Crafts 109, 1506, 155, 1818, 1822, 2014, 23X, 2400, 3000, 3022, 345, 352, 373, 392, 4014, 4018, 4023, 4119, 4123, 434, 446, 447, 470, 4800, 5001, 5024, 533, 535, 5500, 552, 556, 560, 562, 573, 586, 591, 593, 6000, 640, 654, 662, 671, 672, 674, 676, 679, 692, 7000, 701, 702, 704, 799, 844, 911, 920, 921; 1860, CE2000, HF106, HF107, HF2022, J1502, JA1508, JA518, LC99, LR1622, LR23L, MX3123, SL2022, SR2100, SS2015, SW2018E, SX2122, XL23L, XLII, XLS, 1117S, 128, 1860, 2003P, 2018S, 2030DC, 2039SN,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

New Home/Janome Continued:

2040, 2041LX, 2041NX, 2041S, 2041SX, 2049LX, 2049NX, 2118S, 2139N, 2139S, 2141S, 2149SX, 2160QDC, 2206, 2212, 2222, 222A, 3128, 3160QDC, 360, 380, 381, 4045LX, 4045NX, 4048, 405, 41012, 4119(Quilter's delight), 4120QDC, 415, 419S, 423S, 4612TM, 4618LE, 4623LE, 49018, 49360, 509, 521, 525S, 530, 531, 5812, 6019QC, 609, 609NH, 611, 6125QC, 618, 619, 620, 621, 623, 625(old), 625E, 625FA, 626, 6260QC, 630, 631, 632, 639(Jem), 640, 641, 642, 651, 652, 653, 656, 657, 657A, 659, 660 Jem Gold, 661 Jem Gold 2, 661(Old), 661G Jem Gold Plus, 662 Jem Silver, 665 Jem Gold III, 680, 681, 681D, 684, 692, 693, 7061NX, 710, 712T, 7306, 7312, 7318 Magnolia, 7325 Magnolia, 7330 Magnolia, 7360 Magnolia, 763, 791FA, 793, 795FA, 802, 803, 8048 Harmony, 8050, 8077, 808, 8080, 808A, 844, AQS2009, CE2200, Classmate S-750, COMBI 10, DC1018, DC1050, DC2007LE, DC2010, DC2011, DC2012, DC2013, DC2014, DC3018, DC3050, DC4030, DC4030P, DC5100, DE5018, DE5024, DE5124, DS3500, DX2015, DX2022, DX2030, DX502, FA772, Harmony 4052LX, Harmony 1017, Harmony 2041, HD1000, HD3000, Hello Kitty 11706, Hello Kitty 13512, Hello Kitty 14412, Hello Kitty 15312, Hello Kitty 15822, Hello Kitty 18750, Hello Kitty Full Size, HF1012, HF106, HF107, HF2022, HF3000, HF3022, HF3125, HF4045LX, HF5024, HF-RE1706, HT2008, HT2008LE, JA104, JA106, JA1502, JA1504, JA1506, JA1508, JA1510, JA1512, JA1518, JA1804, JD1803, JD1806, JD1810, JD1812, JD1814, JD1816, JD1818, JD1822, Jem Lite, JF1004, JF1012, JF1014, JF1018, JF1018S, JF1022, JP720, JP760, JS1003, JS1004, JS1008LE, JW5622, JW7630, L108, L109, L110, L344, L352, L353, L372, L373, L392, L393, LR1612, LR1616, LR1618, LR1622, MC2400, MC3000, MC3500, MC4000, MC4400, MC4800, MC4800QC, MC4900QC, MC5001, MC5002, MC5200, MC5500, MC6000, MC6300P, MC6500P, MC7000, MC7500, ME4014, ME4018, ME4123, ML3023, MO200, MOD-100, MOD-15, MOD-19, MOD-30, MS-3015, MS-5027, MyStyle100, NH2014, NQM2016 National Quilt Museum, QS2250, RX1818, RX1822, S2015, S-3023, S-650, S-950, Schoolmate S-3015, Schoolmate S-7330, SD2014, Sew Precise, Sewist 500, SL2022, SR2000, SR2100, SS2015, SW2018E, TB12, US2022, XL601 - **Low-Use our measuring chart on the ruler foot page to determine shank size of your machine if it is not listed above.**

532, 534, 545, 552, 656A, 1534, 8000, 9000, MC10000, MC11000 Special Edition, MC11000, MC10001, MC12000, MC15000, MC9500, MC9700, MC5000, MC5700, MC8000, MC8100HF, MC8200, MC8900 QCP, MC9000, MC6600P, MC7700 Horizon, MC7700QCP, MOD-15, MOD-19, MC9400QCP, MC9900 **High**

Janome 1600P, 1600P-DB, 1600-QC High Shank CRF Foot

Janome Skyline – High Shank

Omega 2002 & 3100 Low

Pennecrest 2601 Low

Pfaff 1000, 1019, 1020, 1025, 1027, 1030, 1035, 1040, 1047, 1050, 1067, 1069, 1071, 1100, 1132, 1142, 1150, 1151, 1171, 130, 1300, 1371p, 139, 1410, 1411, 1418, 1422, 1445, 1446, 1455, 1465, 1467, 1469, 1471, 1472, 1473, 1475 CD, 1478, 1520, 1522, 1524, 1525, 1527, 1530, 1532, 1534, 1536, 1540, 1542, 1546, 2010, 2020, 2022, 2024, 2025, 2026, 2027, 2030, 2032, 2034, 2036, 2040, 2042, 2044, 2046, 2054, 2056, 2124, 2140, 2144, 2274, 230, 296, 350, 382, 422, 4240, 4250, 4260, 6000, 6085, 6091, 6112, 6120, 6122, 6150, 6230, 6232,

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

6250, 6252, 7510, 7530, 7550, 7560, 7562, 7570, 800, 801, 802, 803, 806, 807, 808, 809, 874, 875, 876, 900, 904, 905, 907, 917, 919, 927, 933, 939, 946, 947, 953, 955, Hobby 382, Passport 2.0, Most Others **Low**

**** Most of the Pfaff machines noted below have a sensormatic free motion option. Please refer to your manual on how to set up your machine for free-motion quilting. Needle adjustment may be necessary. All set-up changes can be found in your Menu settings.**

Pfaff Creative 4.0, 4.5, 3.0, 2.0 – **Medium Shank**

Pfaff Quilt Expression 4.0, 4.2 – **Medium Shank**

Pfaff Creative Sensation – **Medium Shank**

Pfaff Creative Sensation Pro – **Medium Shank**

Pfaff Creative Performance – **Medium Shank**

Pfaff Creative Vision – **Medium shank** – **needle position needs to adjust from 0.0mm to +1mm for centering.**

Pfaff Performance 5.0, 5.2 – **Medium Shank** (Disengage your IDT, turn automatic presser foot off, in free motion select sensormatic free motion, the needle position will need to adjust 3-4 positions)

Pfaff Ambition – **Medium Shank**

Pfaff Expression 150, 2.0, 3.0, 3.2, 3.5 – **Our foot will not fit these machines, they do not have a sensormatic system.**

1200 series-- **High**

Pfaff 1200 Grand Quilter – **High Shank MGQ Foot**

Phoenix Automatic **Most Low**

Riccar 1010, 1900, 1925, 1934, 200, 2600, 2800, 2900, 2910, 2925, 2950, 300, 315FA, 315SU, 3300, 333, 3400, 3500, 3600, 368, 4001, 4003, 404, 410, 414, 469FA, 500, 505, 510, 515, 525, 550, 551, 555FA, 555SU, 570, 571,

580E, 581, 5900, 591, 600, 6000, 600FA, 601, 606, 608, 610, 650, 666FA, 666SU, 695, 6950, 705, 706, 707, 7500, 7610, 777, 805, 806, 807, 808E, 8400, 8500, 888, 900, 906E, 9150, 916, 9160, 925, 950, 9600, 9700, 9800, 9900, BL2000, R104, R1100, R1500, R1570, R1570FB, R1800, R1850, R1926, R1950, R2050, R250, R3100, R3200, R552, R650, R651, R700, R709, R750, R751, R7620, R916, RE571, RE581, RE591, RE640, REC5900, REC6000, RM540, RM570, RS76, RS77, RS78, RS98, RZ206B, RZ208B & RZ210B, Most others **Low**

Sierra 234F **Low**

Simplicity 1325, 1500, 4700, 8200, S110, SL1000, SL1150, SL1200, SL1220, SL1250, SL1270, SL1400, SL1650, SL200, SL232, SL237, SL2507, SL415, SL6150, SL6220, SL630, SL640, SL6950, SL8020, SL8130, SL8220, SL898, SL9130, SL9150, SL9240, SW240 **Low**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Singer Many 200-class, many 300-class, 413, 416, 418, 419, 457, 466, 477, 478, 513, 533, 534, 535, 538, 543, 560, 770, 1021, 1022, 1025, 1027, 1105, 1108, 1116, 1120, 1130, 1200-1, 1247N, 1260, 1263N, 1280, 127, 127-12, 127-3, 128, 1280N, 1288N, 132Q, 13400, 15-30, 15-86, 15-87, 15-88, 15-90, 15-91, 15-96, 15-97, 1500, 1525, 1802, 1803, 1812, 1852, 1862, 1872, 1873, 201-2, 202, 2020, 203, 204, 205, 206, 206K, 207, 208, 209, 210, 2102, 2105, 2106, 2108, 211, 2110, 2112, 2114, 2118, 212, 213, 214, 215, 216, 217, 218, 219, 220, 2202, 221, 2210, 222, 223, 224, 227, 2302, 2303, 2304, 2315, 2330, 237, 237m3, 239, 240, 2404, 242, 2430, 244, 2440, 247, 247AP, 248, 250, 2503, 2504, 2515, 2517, 252, 2530, 254, 2543, 257, 258, 259, 2600, 2601, 2602, 2603, 2604, 2605, 2615, 2616, 2623, 2628, 263, 2630, 2638, 2643, 2662, 27, 2732, 288, 293B, 3002, 3003, 3004, 3005, 3012, 3013, 3014 Merritt, 3015, 302, 30215, 305, 30518, 306K, 306K25, 306W, 3102, 3103, 3115, 3130, 3133, 3140, 3145, 320, 3207, 3214, 322, 324, 3270, 327K, 328K, 329K, 330, 3302, 3305, 3311, 3314, 3317, 331K1, 3343, 337, 338, 340, 342, 345, 347K, 348K, 350, 353, 354, 360, 362, 367, 3800, 3810, 3820, 3825, 384, 384.13012000, 384.18024000, 4005, 4006, 4009, 4012, 4015, 4016, 4019, 4022, 413K, 413K13, 416K, 418K, 4302, 4305, 4314, 4325, 438K, 4514, 4517, 4522, 4525, 4526, 4528, 4530, 4538, 457K, 4611, 466K, 476K, 477K, 478K, 4814, 4823, 4830 4830NWC, 4832, 484, 490, 495, 5017, 502, 5028, 5040, 5050, 507, 509, 5102, 5107, 5122, 5123, 5124, 5127, 513 Stylist, 5130, 514, 5140, 5144, 5147, 5160, 5170, 518, 5180, 521, 522, 5255, 527, 533, 534, 535, 538, 5405, 543, 5502, 5508, 5522, 5525, 5528, 5530, 560J, 5705, 5710, 5735, 57817C, 57820, 57825C, 5800, 5802, 5805, 5806, 5808, 5810, 5817C, 5818, 5823, 5825, 5828, 5830, 5838, 6000-class, 6010, 6011, 6012, 6021, 6038, 6100, 6104, 6105, 6106, 610U, 6110, 6136, 6201, 6202, 6211, 6212, 6215, 6217, 6221, 6252, 6305, 6408, 6412, 6416, 6423, 6510, 6544, 6548, 66, 66-1, 66-14, 66-16, 66-18, 66-24, 6620, 7011, 7015, 7021, 7025C, 7100, 7105, 7106, 7108, 7110, 7174, 7184, 7300, 7400, 7422, 7424, 7426, 7436, 7440, 7442, 7444, 7446, 7460, 7462, 7464, 7466, 8002, 8007, 8010, 8014, 8019, 8034, 807, 814, 8200, 8220, 8222, 8234, 827, 831, 832, 833, 834, 842, 843, 8500, 8508, 860, 8600, 8734, 875, 876, 8774, 8784, 9000, 9002, 9012, 9014, 9612, 9618, 972, 99-31, 99K, CE-100, CE-200, CM17C, DL17C, DSX, FM14C, FM17, FM22C, 100, Futura 200, Izek 1500 & SM14C, 13400 **Low**

Vintage Singer Machines: If your vintage Singer uses generic low shank feet **– Low**

Singer 31-15 – High Shank ss – Special order, you will need to contact us directly.

Singer models that are “slant” shank: **“Fine Line” Clarity will not fit on slant shanks**, but we will be exploring the slant shank machines in 2017. **If you are interested in participating in our development of a slant shank foot, please email us.**

290C, 301, 400, 401, 401A, 403, 409, 417, 500, 500A, 501, 503, 503A, 600-class, 900-class, 1000-class, 1200-class, 1411, 1425, 2000-class, 2001, 2005, 2010, 7000, 750/691, 900 series, 4600 series, 700-class, 4572, 6200 series (many variations of shank but usually slant), 9117, 9134, and most Slant-o-matics, Touch-n-Sews, TouchTronics, & Athenas

Sonata XL, C-XL, 560, 6600, 6602, 6606, 6610, 6621, 6680C **Low**

Sterling Automatic Most **Low**

Universal KTB **Low**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Viking 100, 600, 1000, or #1 series has special Viking shank. : **“Fine Line” Clarity will not fit on this special Viking shank.**

140, 160, 1919, 200, 300, 400, 500, 550, 6000-series, 6000, 6020, 6170, 6230, 6270, 6360, 6370, 6430, 6440, 6460, 6680, 6690 & 8910 **Low**

Viking Opal 670 – **“Fine Line” Clarity foot does not fit this machine. This model does not have the Exclusive Sensor System for free-motion quilting.**

Viking Rubies, Epic, Diamonds, Topazes, Sapphires and the Opal 690 – **Low** shank. **Note: These machines have the Exclusive Sensor System for fabric height, ensure your machine is set for free motion with the sensor system on. You will need to adjust your needle position to center the needle. You will need to turn the Pivot mode off and put your machine into “free-float” mode.**

900-series Slant – **“Fine Line” Clarity will not fit on slant shank machines.**

Vigorelli Most **Low**

White 1088, 1405, 1409, 1410, 1418, 1455, 1505, 1510, 1521, 1545, 1620, 1632, 1710, 1730, 1735, 1740, 1755, 1766, 1780, 1788, 1805, 1810, 1866, 1888, 1919, 1957, 1975, 1999, 2037, 2235, 2999, 310, 320, 330, 3300, 3955, 4040, 4042, 4060, 4075, 505, 609, 611, 614, 619, 622, 625, 639, 641, 644, 651, 655, 742, 761, 764, 915, 955, 972, 979, W750 **Low**

White 628, 844, 1099, 1315, 2836 **High**

Wizard Most **Low**

Yamata FS7500, FS8110, FS8120, FY200, FY750, FY812, FY900, FY930 & FY940 **Low**